

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of the Claims:

Claim 1 (Currently Amended): A system for selectively generating training data for a pattern recognition classifier from a plurality of training images representing an output class, said system comprising:

a stereo vision system that images the interior of a vehicle to provide a plurality of three-dimensional training images representing an output class;

an image synthesizer that combines the plurality of training images into a three-dimensional class composite image;

a grid generator that generates a three-dimensional grid pattern representing the output class from the class composite image; and

a feature extractor that extracts feature data from the plurality of training images according to the generated grid pattern.

Claim 2 (Original): The system of claim 1 wherein the grid generator generates the grid pattern according to at least one attribute of interest associated with the class composite image.

Claim 3 (Currently Amended): The system of claim 1 wherein the grid pattern divides the class composite image with a plurality of intersecting planes and curved surfaces into a plurality of sub-images, the feature extractor extracting data relating to each of the plurality of sub-images.

Claim 4 (Previously Presented): The system of claim 3 wherein the grid generator operates according to a grid generation algorithm to select one of the plurality of sub-images according to an attribute of interest and modifies the grid pattern according to the selected sub-image.

Claim 5 (Original): The system of claim 4 wherein the attribute of interest is a maximum average grayscale value out of a plurality of average grayscale values associated with respective sub-images.

Claim 6 (Previously Presented): The system of claim 4 wherein the attribute of interest is a maximum grayscale variance out of a plurality of grayscale variances associated with respective sub-images.

Claim 7 (Previously Presented): The system of claim 4 wherein the grid pattern is modified as to divide the selected sub-image into a plurality of sub-images.

Claim 8 (Original): The system of claim 7 wherein the grid pattern is iteratively modified until a grid pattern that divides the class composite image into a threshold number of sub-images has been generated.

Claim 9 (Original): The system of claim 1, further comprising a pattern recognition classifier that is trained using the extracted feature data.

Claim 10 (Currently Amended): The system of claim 9 wherein the pattern recognition classifier includes ~~at least one of a neural network and~~ a support vector machine.

Claims 11 and 12 (Cancelled)

Claim 13 (Currently Amended): A system for selectively generating training data for a pattern recognition classifier associated with a vehicle occupant safety system comprising:

a stereo vision system that images the interior of a vehicle to provide a plurality of three-dimensional training images representing an output class;

an image synthesizer that combines the plurality of training images to provide a three-dimensional class composite image;

a grid generator that generates a grid pattern, comprising a plurality of intersecting planes and curved surfaces, arranged to provide sub-image regions, representing the output class from a three-dimensional class composite image; and

a feature extractor that extracts training data from the plurality of training images according to the generated grid pattern.

Claim 14 (Cancelled).

Claim 15 (Original): The system of claim 13 wherein the plurality of training images representing the output class includes images of a human adult seated within the vehicle interior.

Claim 16 (Original): The system of claim 13 wherein the plurality of training images representing the output class includes images of a rearward facing infant seat positioned within the vehicle interior.

Claim 17 (Original): The system of claim 13 wherein the plurality of training images representing the output class includes images of a human head.

Claim 18 (Cancelled).

Claim 19 (Currently Amended): A method for selectively generating training data for a pattern recognition classifier from a plurality of training images representing a desired output class, said method comprising the steps of:

generating a representative three-dimensional image that represents the output class at a stereo camera;

dividing the representative image according to an initial three-dimensional grid pattern to form a plurality of sub-images;

identifying at least one sub-image formed by said initial grid pattern having at least one attribute of interest;

modifying said grid pattern to add at least one of a plane and a curved surface to the grid pattern in response to the identified at least one sub-image having said at least one attribute of interest so as to form a modified grid pattern; and

using the modified grid pattern to extract respective feature vectors from the plurality of training images.

Claim 20 (Original): The method of claim 19 wherein the step of generating a representative image includes combining the plurality of training images to form a class representative image.

Claim 21 (Original): The method of claim 19, where the step of generating a representative image includes averaging grayscale values across corresponding pixels in the plurality of training images.

Claim 22 (Original): The method of claim 19, wherein the step of modifying the grid pattern includes modifying the grid pattern to divide the identified sub-images into respective pluralities of sub-images.

Claim 23 (Original): The method of claim 19 wherein the at least one attribute of interest includes an average grayscale value associated with a sub-image that exceeds a threshold value.

Claim 24 (Original): The method of claim 19 wherein the at least one attribute of interest includes a coarseness measure associated with a sub-image exceeds a threshold value.

Claim 25 (Original): The method of claim 19 wherein the at least one attribute of interest includes a maximum average grayscale value out of a plurality of average grayscale values associated with respective sub-images.

Claim 26 (Previously Presented): The method of claim 19 wherein the step of using the modified grid pattern to extract respective feature vectors from the plurality of training images includes applying the modified grid pattern to a training image to form a plurality of sub-images from the training image and extracting at least one element associated with a respective feature vector from each of the plurality of sub-images.

Claim 27 (Original): The method of claim 19 wherein the steps of identifying at least one sub-image and modifying the grid pattern in response to the identified sub-image are repeated iteratively until a termination event is recorded.

Claim 28 (Original): The method of claim 27 wherein the termination event comprises producing a modified grid that divides the class composite image into a threshold number of sub-images.